INT. J. REMOTE SENSING, 1995, VOL. 16, NO. 18, 3703–3719

Index of Authors (with the titles of papers)

ABDALATI, W., STEFFEN, K., OTTO, C., and JEZEK, K. C.: Comparison of brightness temperatures from SSMI instruments on the DMSP F8 and F11 satellites for Antarctica and the Greenland ice sheet, 1223
ABDEL NABI, S. H., *see* Hussein, H. A.
ADAMS, J.: Cover. Bush fire devastation on the Australian continent, 1573
ADIGA, S., *see* Manavalan, P.
AFIFI, M. S., *see* Mahar, K.
AHMED, N. U.: Estimating soil moisture from 6·6 GHz dual polarization, and/or satellite derived vegetation index, 687
AKDENIZ, F., *see* Erol, H.
AKSOY, E., *see* Peştemalci, V.
ALI, M. M., *see* Kalyani Devasena, C.
ALPTEKIN, Ö., *see* Nalbant, S. S.
AMATO, U., CUOMO, V., and SERIO, C.: Assessing the impact of radiometric noise on IASI performances, 2927
ANDREADIS, I., GLAVAS, E., and TSALIDES, PH.: Image enhancement using colour information, 2285
ANTONIOU, C., and KATSAMBAS, A.: Phototherapy, 1747
ARAI, K., TERAYAMA, Y., UEDA, Y., and MORIYAMA, M.: Adaptive least squares method for estimation of partial cloud coverage within a pixel, 2197
ARDÖ, J.: Cover. Coal burning power plants and forest damage in the Czech Republic, 989
ARDÖ, J., *see* Lambert, N. J.
ARST, H., *see* Kutser, T.
ASIMAKOPOULOS, D. N., *see* Kalogiros, J. A.
ASIMAKOPOULOS, D., *see* Sakellariou, N.
ASKNE, J., *see* Ulander, L. M. H.

BALAJI, S., *see* Ramasamy, S. M.
BALDWIN, D., and EMERY, W. J.: Spacecraft attitude variations of NOAA-11 inferred from AVHRR imagery, 531
BANIN, A., *see* Ben-Dor, E.
BARBER, D. G., PAPAKYRIAKOU, T. N., LEDREW, E. F., and SHOKR, M. E.: An examination of the relation between the spring period evolution of the scattering coefficient (σ°) and radiative fluxes over landfast sea-ice, 3343
BARLAUD, M., *see* Moureaux, J.-M.
BARONTI, S., DEL FRATE, F., FERRAZZOLI, F., PALOSCIA, S., PAMPALONI, P., and SCHIAVON, G.: SAR polarimetric features of agricultural areas, 2639
BARRY, R. G., *see* Maslanik, J. A.
BARTON, I. J., *see* Watts, P. D.
BASILI, P., *see* Ciotti, P.
BASTIN, G. N., PICKUP, G., and PEARCE, G.: Utility of AVHRR data for land degradation assessment: a case study, 651
BAUDIN, F., *see* Bénallègue, M.
BAULIES, X., and PONS, X.: Approach to forestry inventory and mapping by means of multi-spectral airborne data, 61
BAULIES, X., see Viñas, O.
BÉNALLÈGUE, M., TACONET, O., VIDAL-MADJAR, D., BAUDIN, F., LANCELIN, P., and LAURENT, G.: Evaluation of calibration methods for a helicopter-borne microwave scatterometer, 217
BÉNIÉ, G. B., *see* Habbane, M.
BÉNIÉ, G. B., *see* Wang, D.

BEAVEN, S. G., LOCKHART, G. L., GOGINENI, S. P., HOSSEINMOSTAFA, A. R., JEZEK, K., GOW, A. J., PEROVICH, D. K., FUNG, A. K., and TJUATJA, S.: Laboratory measurements of radar backscatter from bare and snow-covered saline ice sheets, 851
BELHADJ-AISSA, A., SMARA, Y., and BILDGEN, P.: Technical Note. Spectral analysis of satellite data and their assessment by diffractometric analysis. Case of samples from a test zone in the south of Algeria, 2573
BELLEHUMEUR, C., *see* Nieke, B.
BELLEMAIN, P., *see* Moureaux, J.-M.
BELWARD, A., HOLLIFIELD, A., and JAMES, M.: The potential of the NASA GAC Pathfinder product for the creation of global thematic data sets: the case of biomass burning patterns, 2089
BEN-AVRAHAM, Z., *see* Mayo, M.
BENDIX, J.: A case study on the determination of fog optical depth and liquid water path using AVHRR data and relations to fog liquid water content and horizontal visibility, 515
BEN-DOR, E., and BANIN, A.: Quantitative analysis of convolved Thematic Mapper spectra of soils in the visible near-infrared and shortwave-infrared spectral regions (0·4–2·5 μm), 3509
BEN-DOR, E., and KRUSE, F. A.: Surface mineral mapping of Makhtesh Ramon Negev, Israel using GER 63 channel scanner data, 3529
BEN YOSEF, N., *see* Braude, C.
BERDOWSKI, J. J. M., *see* Van Kootwijk, E. J.
BERGER, F. H.: Inference of the climatic efficiency of clouds from satellite measurements, 2903
BERGLUND, R., *see* Herland, E.-A.
BERTHON, J.-F., *see* Nieke, B.
BHANDARI, S. M. and VARMA, A. K.: Technical Note. Estimation of large scale monthly rainfall over Indian region using minimal INSAT-VHRR data, 2023
BILDGEN, P., *see* Belhadj-Aissa, A.
BILLAT, V., *see* Bliven, L. F.
BISHOP, J., and LAST, J. D.: Global radionavigation and location systems for tracking marine mammals, 1943
BLACKBURN, G. A.: Seasonal variations in the spectral reflectance of deciduous tree canopies, 709
BLIVEN, L. F., BILLAT, V., SOBIESKI, P. W., GUISSARD, A. C., BRANGER, H., and GIOVANANGELI, J.-P.: An assessment of veering wind effects on scatterometry from the sea surface, 891
BLIVEN, L. F., *see* Sobieski, P. W.
BOWERS, W. W., *see* Franklin, S. E.
BRAKKE, T., *see* Otterman, J.
BRANGER, H., *see* Bliven, L. F.
BRAUDE, C., BEN YOSEF, N., and DOR, I.: Satellite remote sensing of waste water reservoirs, 3087
BROCHE, P., *see* Forget, P.
BROWDER, J. O., *see* Campbell, J. B.
BROWN, L. J., and STEPHENS, P. R.: Monitoring pasture productivity in New Zealand—an investigation using NOAA-11 AVHRR data and dairy farm milk fat production, 967
BROWNE, P. R. L., *see* Deroin, J.-P.

CAMPBELL, J. B., and BROWDER, J. O.: Field data collection for remote sensing analysis: SPOT data, Rondonia, Brazil, 333
CAÑAS, A., *see* Clark, C.
CANOSSI, I., *see* Cervino, M.
CAREY, R., *see* Leshkevich, G.
CARLETON, A. M.: On the interpretation and classification of mesoscale cyclones from satellite infrared imagery, 2457
CARLETON, A. M., and O'NEAL, M.: Satellite-derived land surface climate 'signal' for the Midwest U.S.A., 3195
CARLSON, G. E., and EBEL, W. J.: Technical Note. Co-occurrence matrices for small region texture measurement and comparison, 1417
CARLSTRÖM, A., and ULANDER, L. M. H.: Validation of backscatter models for level and deformed sea-ice in ERS-1 SAR images, 3245
CARLSTRÖM, A., *see* Ulander, L. M. H.

CARLTON, R. W., *see* Harris, A. J. L.
CARTALIS, C., *see* Retalis, A.
CASHMAN, J., *see* Dong, Y.
CAVAYAS, F., *see* St-Onge, B. A.
CERVINO, M., CANOSSI, I., GUZZI, R., and TORRICELLA, F.: Temperature-dependent ozone transmittance in mono-layer atmospheric model, 375
CHALLENOR, P. G., *see* Forrester, T. N.
CHANDRA, S., and VAROTSOS, C. A.: Recent trends of the total column ozone: implications for the Mediterranean region, 1765
CHAUHAN, N. S.: Microwave inversion of root mean square height from vegetated fields: a dual frequency technique, 3555
CHEN, J., *see* Nagaraja Rao, C. R.
CHEN, K. S., KAO, W. L., and TZENG, Y. C.: Retrieval of surface parameters using dynamic learning neural network, 801
CHENG, F., and THIEL, K.-H.: Delimiting the building heights in a city from the shadow in a panchromatic SPOT-image—Part 1. Test of forty-two buildings, 409
CHENG, F., *see* Hartl, Ph.
CHENG, Z., *see* Li, S.
CHEWINGS, V. H., *see* Pickup, G.
CHRISTENSEN, JR., N. L., *see* Wang, Y.
CHRONOPOULOS, G. J., *see* Varotsos, C. A.
CHRONOPOULOS, G., *see* Varotsos, C. A.
CIOTTI, P., BASILI, P., D'AURIA, G., MARZANO, F. S., and PIERDICCA, N.: Microwave radiometry of the atmosphere: an experiment from a sea-based platform during ERS-1 altimeter calibration, 2341
CITEAU, J., *see* Demarcq, H.
CLARK, C., and CAÑAS, A.: Spectral identification by artificial neural network and genetic algorithm, 2255
CLARKE, S. R., *see* Ratna Reddy, S.
CLAUDE, H., *see* Gernandt, H.
CLEMENT, E., *see* Landru, P.
CLEMENTE-COLON, P., *see* Leshkevich, G.
COCHRANE, G. R., *see* Deroin, J.-P.
COHEN, W. B., SPIES, T. A., and FIORELLA, M.: Estimating the age and structure of forests in a multi-ownership landscape of western Oregon, U.S.A., 721
COHEN, W. B., SPIES, T. A., SWANSON, F. J., and WALLIN, D. O.: Cover. Land Cover on the Western Slopes of the Central Oregon Cascade, 595
CONDAL, A., *see* Nieke, B.
COQUELET, D., *see* Populus, J.
CORCORAN, G., *see* Thomas, J. P.
CORVES, C., *see* Leone, A. P.
CÔTÉ, S., and TATNALL, A. R. L.: A neural network-based method for tracking features from satellite sensor images, 3695
CRACKNELL, A. P., *see* França, G. B.
CRACKNELL, A. P., *see* Khan, B.
CRACKNELL, A. P., and VAROTSOS, C. A.: The present status of the total ozone depletion over Greece and Scotland: a comparison between Mediterranean and more northerly latitudes, 1751
CRACKNELL, A. P., *see* Varotsos, C. A.
CRACKNELL, A. P., *see* Xue, Y.
CRAWFORD, P. S.: Technical Note. Kepler's equations in 'C', 549
CSILLAG, F., *see* Kertész, M.
ÇULLU, M. A., *see* Peştemalci, V.
CUOMO, V., *see* Amato, U.
CUQ, F., *see* Forget, P.
CURRAN, P. J., *see* Kupiec, J. A.
CURRAN, P. J., *see* Palubinskas, G.

DANSON, F. M., and PLUMMER, S. E.: Red-edge response to forest leaf area index, 183
DAS, J. D., SARAF, A. K., and JAIN, A. K.: Fault tectonics of the Shillong plateau and adjoining regions, north-east India using remote sensing data, 1633
DAS, S. N., *see* Rao, B. R. M.
D'AURIA, G., *see* Ciotti, P.
DAVIS, C. H.: Synthesis of passive microwave and radar altimeter data for estimating accumulation rates of dry polar snow, 2055
DAVIS, F. W., *see* Wang, Y.
DAYA SAGAR, B. S., GANDHI, G., and PRAKASA RAO, B. S.: Applications of mathematical morphology in surface water body studies, 1495
DAYA SAGAR, B. S., and PRAKASA RAO, B. S.: Ranking of lakes: logistic models, 365
DAYA SAGAR, B. S., VENU, M., and PRAKASA RAO, B. S.: Distributions of surface water bodies, 3059
DEL FRATE, F., *see* Baronti, S.
DEMARCQ, H., and CITEAU, J.: Sea surface temperature retrieval in tropical area with Meteosat: the case of the Senegalese coastal upwelling, 1371
DERGILEVA, I. L., *see* Ignatov, A. M.
DEROIN, J.-P., COCHRANE, G. R., MONGILLO, M. A., and BROWNE, P. R. L.: Methods of remote sensing in geothermal regions: the geodynamic setting of the Taupo Volcanic Zone (North Island, New Zealand), 1663
DIAMENT, A. D., *see* Rees, W. G.
DI, L., and HASTINGS, D. A.: Temporal stability of some global NDVI products derived from NOOAA/AVHRR GVI, 3569
DICK, R., *see* Nieke, B.
DINÇ, U., *see* Peştemalci, V.
DONG, Y., RICHARDS, J. A., and CASHMAN, J.: A model of volume attenuation and backscattering by foliage at L- and P-bands, 1231
DOR, I., *see* Braude, C.
DOWDESWELL, J. A., *see* Rees, W. G.
DRAKE, N. A.: Reflectance spectra of evaporite minerals (400–2500 nm): applications for remote sensing, 2555
DRINKWATER, M. R.: Memorial. Dr T. Viehoff, 3221
DRINKWATER, M. R.: Editorial, 3225
DRINKWATER, M. R., *see* Gudmandsen, P.
DRINKWATER, M. R., HOSSEINMOSTAFA, R., and GOGINENI, P.: C-band backscatter measurements of winter sea-ice in the Weddell Sea, Antarctica, 3365
D'SOUZA, G., *see* Eva, H. D.
DUBEY, R. C., *see* Potdar, M. B.
DUBOIS, J.-M., *see* Habbane, M.
DUNN, J., *see* McStay, D.
DUTTA, M., *see* Prakash, A.
DWIVEDI, R. S., *see* Rao, B. R. M.

EASTON, A. K., *see* Ratna Reddy, S.
EBEL, W. J., *see* Carlson, G. E.
EHRLICH, D., *see* Lambin, E. F.
EHRLICH, D., *see* Vanderzee, D.
EKLUNDH, L. R.: Noise estimation in NOAA AVHRR maximum-value composite NDVI images, 2955
ELDHUSET, K., and VÅLAND, P. A.: ScanSAR processing and simulation for ASAR using ERS-1 raw data, 2657
EL-CIBAHY, A., *see* Salem, B. B.
EL-HATTAB, M. M., *see* El-Raey, M.
EL-RAEY, M., NASR, S. M., EL-HATTAB, M. M., and FRIHY, O. E.: Change detection of Rosetta promontory over the last forty years, 825
EL-RAEY, M., *see* Salem, B. B.
EL RAKAIBY, M. L.: The use of enhanced Landsat-TM image in the characterization of uraniferous granitic rocks in the Central Eastern Desert of Egypt, 1063
EL-SABH, M. I., *see* Habbane, M.

EMERY, W. J., *see* Baldwin, D.
EMERY, W. J., *see* Maslanik, J. A.
EPIPHANIO, J. C. N., *see* Valeriano, M. M.
EROL, H., and AKDENIZ, F.: A statistical approach for ground cover modelling according to the spectral brightness, 1599
ESSEN, H.-H.: Geostrophic surface currents as derived from satellite SST images and measured by a land-based HF radar, 239
EUTAXIAS, G., *see* Sakellariou, N.
EVA, H. D., D'SOUZA, G., and MALINGREAU, J. P.: Potential of ATSR-1 data for detection of clearings within dense humid tropical forest, 2071
EXELL, R. H. B., *see* Rafiqul Islam, M.
EYMARD, L., and TACONET, O.: Review Article. The methods for inferring surface fluxes from satellite data, and their use for atmosphere model validation, 1907

FERNÁNDEZ, R. N., *see* Lozano-Garcia, D. F.
FERRAZZOLI, F., *see* Baronti, S.
FERRIER, G.: A field study of the variability in the suspended sediment concentration–reflectance relationship, 2713
FERRIER, G.: Evaluation of apparent surface reflectance estimation methodologies, 2291
FILELLA, I., *see* Peñuelas, J.
FIORELLA, M., *see* Cohen, W. B.
FOODY, G. M.: Using prior knowledge in artificial neural network classification with a minimal training set, 301
FOODY, G. M., *see* Palubinskas, G.
FOODY, G. M., MCCULLOCH, M. B., and YATES, W. B.: The effect of training set size and composition on artificial neural network classification, 1707
FORGET, P., BROCHE, P., and CUQ, F.: Principles of swell measurement by SAR with application to ERS-1 observations off the Mauritanian coast, 2403
FORMAGGIO, A. R., *see* Valeriano, M. M.
FORRESTER, T. N., and CHALLENOR, P. G.: Validation of ATSR sea surface temperatures in the Faeroes region, 2741
FOWLER, C., *see* Maslanik, J. A.
FRANÇA, G. B., and CRACKNELL, A. P.: A simple cloud masking approach using NOAA AVHRR daytime data for tropical areas, 1697
FRANKLIN, S. E., *see* Ghitter, G. S.
FRANKLIN, S. E., BOWERS, W. W., and GHITTER, G.: Discrimination of adelgid-damage on single balsam fir trees with aerial remote sensing data, 2779
FREDERICK, E. B., *see* Krabill, W. B.
FRIHY, O. E., *see* El-Raey, M.
FRISON, P. L., *see* Mougin, E.
FRULLA, L. A., *see* Milovich, J. A.
FRULLA, L. A., MILOVICH, J. A., and GAGLIARDINI, D. A.: Illumination and observation geometry for NOAA–AVHRR images, 2233
FUNG, A. K., *see* Beaven, S. G.
FURRER, R., *see* Schaale, M.

GAGLIARDINI, D. A., *see* Frulla, L. A.
GAGLIARDINI, D. A., *see* Milovich, J. A.
GAIROLA, R. M., *see* Gautam, N.
GALLO, K. P., *see* Lozano-Garcia, D. F.
GALVÃO, L. S., and VITORELLO, Í.: Quantitative approach in the spectral reflectance-lithostratigraphy of the Wind River and southern Bighorn basins, Wyoming, 1617
GANDHI, G., *see* Daya Sagar, B. S.
GANESHA RAJ, K., *see* Honne Gowda, H.
GASTELLU-ETCHEGORRY, J. P., *see* Zagolski, F.
GASTELLU-ETCHEGORRY, J. P., ZAGOLSKI, F., MOUGIN, E., MARTY, G., and GIORDANO, G.: An assessment of canopy chemistry with AVIRIS—a case study in the Landes Forest, South-west France, 487

GAUTAM, N., SUJIT BASU, KISHTAWAL, C. M., GAIROLA, R. M., and PANDEY, P. C.: A critical assessment of the *Q–W* relation and a parametrization relation for computing latent heat fluxes over the Indian Ocean, 3649
GAUTHIER, P., *see* Moureaux, J.-M.
GERNANDT, H., GOERSDORF, U., CLAUDE, H., and VAROTSOS, C. A.: Possible impact of polar stratospheric processes on mid-latitude vertical ozone distributions, 1839
GHITTER, G., *see* Franklin, S. E.
GHITTER, G. S., HALL, R. J., and FRANKLIN, S. E.: Variability of Landsat Thematic Mapper data in boreal deciduous and mixed-wood stands with conifer understory, 2989
GIORDANO, G., *see* Gastellu-Etchegorry, J. P.
GIOVANANGELI, J.-P., *see* Bliven, L. F.
GIROUD, C., *see* Nieke, B.
GITELSON, A., *see* Mayo, M.
GIVRI, J. R.: Technical Note. Assessing the relation between emissivity and vegetation with AVHRR, 2971
GLAVAS, E., *see* Andreadis, I.
GODSALVE, C.: Bi-directional reflectance sampling by ATSR-2: a combined orbit and scan model, 269
GOERSDORF, U., *see* Gernandt, H.
GOGINENI, P., *see* Drinkwater, M. R.
GOGINENI, S. P., *see* Beaven, S. G.
GOHIN, F.: Some active and passive microwave signatures of Antarctic sea ice from mid-winter to spring 1991, 2031
GOODIN, D. G.: Evaluation of a combined modelling–remote sensing method for estimating net radiation in a wetland: a case study in the Nebraska Sand Hills, U.S.A., 1481
GOW, A. J., *see* Beaven, S. G.
GRIFFITH, J. K., *see* Laydoo, R.
GRONDONA, M. O., *see* Kerdiles, H.
GUDMANDSEN, P., and DRINKWATER, M. R.: Preface, 3223
GUDMANDSEN, P., THOMSEN, B. B., PEDERSEN, L. T., SKRIVER, H., and MINNETT, P. J.: North-East Water polynya: satellite observations summer 1992 and 1993, 3307
GUISSARD, A. C., *see* Bliven, L. F.
GUNERIUSSEN, T., *see* Johnsen, H.
GUPTA, R. P., *see* Prakash, A.
GUPTA, R. P., *see* Saraf, A. K.
GUTMAN, G., and IGNATOV, A.: Global land monitoring from AVHRR: potential and limitations, 2301
GUZZI, R., *see* Cervino, M.

HAACK, B., and JAMPOLER, S.: Colour composite comparisons for agricultural assessments, 1589
HABBANE, M., DUBOIS, J.-M., EL-SABH, M. I., and BÉNIÉ, G. B.: Technical Note. Simulation of MEIS-II data on 5S code to quantify algal concentration in an intertidal area, 949
HAKANSSON, B., MOBERG, M., and THOMPSON, T.: Real-time use of ERS-1 SAR imagery for ice service and icebreaking operations in the Baltic Sea, 3441
HALL, G., *see* Hong, G.
HALL, R. J., *see* Ghitter, G. S.
HALPERT, M. S., *see* Schultz, P. A.
HAMMOND, T. O., *see* Verbyla, D. L.
HARDY, K. R., *see* Hutchison, K. D.
HARRIS, A. J. L., ROTHERY, D. A., CARLTON, R. W., LANGAAS, S., and MANNSTEIN, H.: Non-zero saturation of AVHRR thermal channels over high temperature targets: evidence from volcano data and a possible explanation, 189
HARRIS, A. J. L., SWABEY, S. E. J., and HIGGINS, J.: Automated thresholding of active lavas using AVHRR Data, 3681
HARRIS, A. J. L., VAUGHAN, R. A., and ROTHERY, D. A.: Volcano detection and monitoring using AVHRR data: the Krafla eruption, 1001
HARTL, PH., and CHENG, F.: Delimiting the building heights in a city from the shadow on a panchromatic SPOT-image: Part 2: Test of a complete city, 2829

HASTINGS, D. A., *see* Di, L.
HAYES, L. W. B., *see* Khan, B.
HAYLING, K. L., *see* Noréus, J. P.
HE, D.-C., *see* Wang, D.
HEINRICHS, J., *see* Maslanik, J. A.
HELMIS, C. G., *see* Kalogiros, J. A.
HENDERSON, F. M.: Environmental factors and the detection of open surface water areas with X-band radar imagery, 2423
HENEBRY, G. M., and KUX, H. J. H.: Lacunarity as a texture measure for SAR imagery, 565
HERLAND, E.-A., and BERGLUND, R.: Demonstration of operational sea-ice monitoring in the Baltic Sea with ERS-1 SAR, 3427
HIGGINS, J., *see* Harris, A. J. L.
HOBBS, T. J.: The use of NOAA-AVHRR NDVI data to assess herbage production in the arid rangelands of Central Australia, 1289
HOLLIFIELD, A., *see* Belward, A.
HONG, G., HALL, G., and TERRELL, T. J.: Discrete Cosine Transform data compression applied to satellite sensor images, 835
HONNE GOWDA, H., GANESHA RAJ, K., PADMAVATHY, A. S., and MANIKIAM, B.: Multidate satellite data for study of dynamics of coastal landforms of Uttara Kannada, South India, 2539
HOSSEINMOSTAFA, A. R., *see* Beaven, S. G.
HOSSEINMOSTAFA, R., *see* Drinkwater, M. R.
HUANG, W. G., and ROBINSON, I. S.: Size estimates of the factors controlling sea surface temperature with AVHRR data, 597
HUFFORD, G., *see* Leshkevich, G.
HUSSEIN, H. A., RABIE, S. I., and ABDEL NABI, S. H.: Regional remapping of the basement complex outcrops, using factor analysis to spectrometric data, of the Gabal Eteiqa, Eastern Desert, Egypt, 811
HUTCHISON, K. D., and HARDY, K. R.: Threshold functions for automated cloud analyses of global meteorological satellite imagery, 3665

IGNATOV, A. M., and DERGILEVA, I. L.: Model approximation of angular dependence in AVHRR brightness temperatures over a black surface, 3687
IGNATOV, A., *see* Gutman, G.

JACOBSON, R. E., *see* Palmer, J. R.
JAIN, A. K., *see* Das, J. D.
JAMES, M., *see* Belward, A.
JAMPOLER, S., *see* Haack, B.
JANSSEN, L. L. F., *see* Schotten, C. G. J.
JEZEK, K. C., *see* Abdalati, W.
JEZEK, K., *see* Beaven, S. G.
JOHANNSEN, C. J. *see* Lozano-Garcia, D. F.
JOHNSEN, H., LAUKNES, L., and GUNERIUSSEN, T.: Geocoding of fast-delivery ERS-1 SAR image mode product using DEM data, 1957
JUSTICE, C., *see* Laporte, N.
JUSTICE, C. O., *see* Townshend, J. R. G.

KÄÄRMANN, L., *see* Kutser, T.
KALAMATIANOU, A., *see* Sakellariou, N.
KALOGIROS, J. A., HELMIS, C. G., ASIMAKOPOULOS, D. N., PAPAGEORGAS, P. G., and SOILEMES, A. T.: A layer detection and classification algorithm for sodar facsimile records, 2939
KALYANARAMAN, S., RAJANGAM, R. K., and RATTAN, R.: Indian remote sensing spacecraft—1C/1D, 791
KALYANI DEVASENA, C., SUBRAMANIAN, S. P., and ALI, M. M.: Study of seasonal current variability in the Arabian Sea using Geosat altimeter data, 2691

KAMARUZAMAN JUSOFF, and MANAF MOHD RASOL ABDUL: Satellite remote sensing of deforestation in the Sungai Buloh Forest Reserve, Peninsular Malaysia, 1981
KANDIRMAZ, M., *see* Peştemalci, V.
KAO, W. L., *see* Chen, K. S.
KARNIELI, A., *see* Pinker, R. T.
KARNIELI, A., and TSOAR, H.: Spectral reflectance of biogenic crust developed on desert dune sand along the Israel–Egypt border, 369
KASISCHKE, E. S., *see* Wang, Y.
KASSOMENOS, P., *see* Varotsos, C. A.
KATSAMBAS, A., *see* Antoniou, C.
KATSIKIS, S., *see* Sakellariou, N.
KATSIKIS, S., *see* Varotsos, C. A.
KAUFMAN, Y. J., *see* Vermote, E.
KENDALL, J., *see* Laporte, N.
KERDILES, H., and GRONDONA, M. O.: NOAA-AVHRR NDVI decomposition and subpixel classification using linear mixing in the Argentinean Pampa, 1303
KERTÉSZ, M., CSILLAG, F., and KUMMERT, Á.: Optimal tiling of heterogeneous images, 1397
KESAVASAMY, K., *see* Manavalan, P.
KHAN, B., HAYES, L. W. B., and CRACKNELL, A. P.: The effects of higher-order resampling on AVHRR data, 147
KIDDER, S. Q., *see* McNider, R. T.
KIDWELL, K., *see* Wooster, M. J.
KIRMAN, C., *see* Roberts, A.
KISHTAWAL, C. M., *see* Gautam, N.
KISHTWAL, C. M., *see* Rao, B. M.
KITHSIR PERERA, L., and RYUTARO TATEISHI: Do remote sensing and GIS have a practical applicability in developing countries? (including some Sri Lankan experiences), 35
KONDRATYEV, K. YA., and VAROTSOS, C. A.: Atmospheric ozone variability in the context of global change, 1851
KONDRATYEV, K. YA., and VAROTSOS, C. A.: Volcanic eruptions and global ozone dynamics, 1887
KONDRATYEV, K. YA., *see* Varotsos, C. A.
KOOPMANS, B. N., *see* Wang, Y.
KOTRONI, V., LAGOUVARDOS, K., and PETITDIDIER, M.: A comparison of wind profiler and sounding observations during a frontal event, 1685
KRABILL, W. B., THOMAS, R. H., MARTIN, C. F., SWIFT, R. N., and FREDERICK, E. B.: Accuracy of airborne laser altimetry over the Greenland ice sheet, 1211
KRISHNA, B. G., *see* Narayana, A.
KRISHNAMURTHY, J., and SRINIVAS, G.: Role of geological and geomorphological factors in ground water exploration: a study using IRS LISS data, 2595
KRUSE, F. A., *see* Ben-Dor, E.
KUMMERT, Á., *see* Kertész, M.
KUPIEC, J. A., and CURRAN, P. J.: Decoupling effects of the canopy and foliar biochemicals in AVIRIS spectra, 1731
KUTIEL, P., *see* Shoshany, M.
KUTSER, T., ARST, H., MILLER, T., KÄÄRMANN, L., and MILIUS, A.: Telespectrometrical estimation of water transparency, chlorophyll-*a* and total phosphorus concentration of Lake Peipsi, 3069
KUX, H. J. H., *see* Henebry, G. M.

LACHLAN-COPE, T. A., *see* Thomas, J. P.
LAGOUVARDOS, K., *see* Kotroni, V.
LAKSHMANA RAO, K. M.: Remote sensing for land-use planning, 53
LAMBERT, N. J., ARDÖ, J., ROCK, B. N., and VOGELMANN, J. E.: Spectral characterization and regression-based classification of forest damage in Norway spruce stands in the Czech Republic using Landsat Thematic Mapper data, 1261

LAMBIN, E. F., and EHRLICH, D.: Combining vegetation indices and surface temperature for land-cover mapping at broad spatial scales, 573
LANCELIN, P., *see* Bénallègue, M.
LANDRU, P., OUMEDJBEUR, A., et CLEMENT, E.: Elaboration d'une carte d'occupation du sol du bassin versant de la Leysse à partir d'images HRV de SPOT, 1523
LANGAAS, S., *see* Harris, A. J. L.
LAPORTE, N., JUSTICE, C., and KENDALL, J.: Mapping the dense humid forest of Cameroon and Zaire using AVHRR satellite data, 1127
LARK, R. M.: A reappraisal of unsupervised classification, I: correspondence between spectral and conceptual classes, 1425
LARK, R. M.: A reappraisal of unsupervised classification, II: optimal adjustment of the map legend and a neighbourhood approach for mapping legend units, 1445
LARK, R. M.: Components of accuracy of maps with special reference to discriminant analysis on remote sensor data, 1461
LARK, R. M.: Contributions of principal components to discrimination of classes of land cover in multi-spectral imagery, 779
LAST, J. D., *see* Bishop, J.
LAUKNES, L., *see* Johnsen, H.
LAURENT, G., *see* Bénallègue, M.
LAVEE, H., *see* Shoshany, M.
LAXON, S. W., *see* Phillips, H. A.
LAYDOO, R., and GRIFFITH, J. K.: Cover. Coral reef distribution in south-west Tobago, 1367
LEDREW, E. F., *see* Barber, D. G.
LEE, J. S., *see* Schuler, D. L.
LEEK, R., and SOLBERG, R.: Using remote sensing for monitoring of autumn tillage in Norway, 447
LEGENDRE, L., *see* Nieke, B.
LEONE, A. P., WRIGHT, G. G., and CORVES, C.: The application of satellite remote sensing for soil studies in upland areas of Southern Italy, 1087
LESACK, L., *see* Roberts, A.
LESHKEVICH, G., PICHEL, W., CLEMENTE-COLON, P., CAREY, R., and HUFFORD, G.: Analysis of coastal ice cover using ERS-1 SAR data, 3459
LI, A., *see* Viehoff, T.
LI, S., CHENG, Z., and WEEKS, W. F.: A grid-based algorithm for the extraction of intermediate-scale sea-ice deformation descriptors from SAR ice motion products, 3267
LIN, S.-G., *see* Wu, J.
LIU, A. K., *see* Peng, C. Y.
LLEWELLYN-JONES, D. T., *see* Watts, P. D.
LLORET, P., *see* Peñuelas, J.
LO, C. P.: Automated population and dwelling unit estimation from high-resolution satellite images: a GIS approach, 17
LOCKHART, G. L., *see* Beaven, S. G.
LOPES, A., *see* Mougin, E.
LOPEZ-BAEZA, E., *see* Valiente, J. A.
LOZANO-GARCIA, D. F., FERNÁNDEZ, R. N., GALLO, K. P., and JOHANNSEN, C. J.: Monitoring the 1988 severe drought in Indiana, U.S.A. using AVHRR data, 1327
LUCAS, R. M., *see* Palubinskas, G.
LYKOUDIS, S. P., *see* Sakellariou, N. K.
LYKOUDIS, S. P., *see* Varotsos, C. A.

MCCULLOCH, M. B., *see* Foody, G. M.
MCGREGOR, J. A., *see* Poulter, E. M.
MCMORROW, J. M.: Relation of oil palm spectral response to stand age, 3203
MCNIDER, R. T., SONG, J. A., and KIDDER, S. Q.: Assimilation of GOES-derived solar insolation into a mesoscale model for studies of cloud shading effects, 2207
MCSTAY, D., MILNE, R., WRIGHT, G. G., and DUNN, J.: A single probe fibre optic fluorosensor for marine and freshwater measurements of phytoplankton populations, 957
MAHAR, K., and AFIFI, M. S.: Linear and correlation analysis for computerized identification of categories in Landsat images, 2277

MALINGREAU, J. P., *see* Eva, H. D.
MALLESWARA RAO, T. CH., *see* Narasimha Rao, P. V.
MANAF MOHD RASOL ABDUL, *see* Kamaruzaman Jusoff
MANAVALAN, P., KESAVASAMY, K., and ADIGA, S.: Irrigated crops monitoring through seasons using digital change detection analysis of IRS-LISS 2 data, 633
MANIKIAM, B., *see* Honne Gowda, H.
MANNSTEIN, H., *see* Harris, A. J. L.
MARCHETTI, M., RICOTTA, C., and VOLPE, F.: A qualitative approach to the mapping of post-fire regrowth in Mediterranean vegetation with Landsat TM data, 2487
MARSHAK, A., *see* Otterman, J.
MARTIN, C. F., *see* Krabill, W. B.
MARTIN, S., WAKATSUCHI, M., and ONO, N.: Ice and ocean processes in the Tatarskiy Strait, Japan Sea, as revealed by ERS-1 SAR, 3227
MARTY, G., *see* Gastellu-Etchegorry, J. P.
MARZANO, F. S., *see* Ciotti, P.
MASLANIK, J. A., FOWLER, C., HEINRICHS, J., BARRY, R. G., and EMERY, W. J.: Remotely-sensed and simulated variability of Arctic sea-ice concentrations in response to atmospheric synoptic systems, 3325
MASUKO, H., *see* Schneider, W.
MATTIKALLI, N. M.: Integration of remotely-sensed raster data with a vector-based geographical information system for land-use change detection, 2813
MAYO, M., GITELSON, A., YACOBI, Y. Z., and BEN-AVRAHAM, Z.: Chlorophyll distribution in Lake Kinneret determined from Landsat Thematic Mapper data, 175
MELACK, J. M., *see* Wang, Y.
MILIUS, A., *see* Kutser, T.
MILLER, T., *see* Kutser, T.
MILNE, R., *see* McStay, D.
MILOVICH, J. A., *see* Frulla, L. A.
MILOVICH, J. A., FRULLA, L. A., and GAGLIARDINI, D. A.: Environment contribution to the atmospheric correction for Landsat-MSS images, 2515
MINNETT, P. J., *see* Gudmandsen, P.
MINNETT, P. J., *see* Watts, P. D.
MOBERG, M., *see* Hakansson, B.
MONGILLO, M. A., *see* Deroin, J.-P.
MOREAU, F., *see* Populus, J.
MORENO, A., *see* Siljeström, P.
MORENO, J. F., *see* Valiente, J. A.
MORENO LÓPEZ, A., *see* Siljeström Ribed, P.
MORIN, S., *see* Nieke, B.
MORIYAMA, M., *see* Arai, K.
MOUGIN, E., *see* Gastellu-Etchegorry, J. P.
MOUGIN, E., LOPES, A., FRISON, P. L., and PROISY, C.: Preliminary analysis of ERS-1 wind scatterometer data over land surfaces, 391
MOUREAUX, J.-M., GAUTHIER, P., BARLAUD, M., and BELLEMAIN, P.: Raw SAR data compression using vector quantization, 3179
MULHEARN, P. J.: Landsat reflectivities versus Secchi disc depths, 257
MUÑOZ, F., *see* Peñuelas, J.
MURPHY, R. J.: Mapping of jasperoid in the Cedar Mountains, Utah, U.S.A., using imaging spectrometer data, 1021
MURPHY, R. J.: The effects of surficial vegetation cover on mineral absorption feature parameters, 2153
MUTLOW, C. T., *see* Watts, P. D.

NACINI, E.: Cover. Iceland–Faeroes front, 789
NÆSSET, E.: A method to test for systematic differences between maps and reality using error matrices, 3147
NAGARAJA RAO, C. R., and CHEN, J.: Inter-satellite calibration linkages for the visible and near-infrared channels of the Advanced Very High Resolution Radiometer on the NOAA-7, -9, and -11 spacecraft, 1931

NAGARAJAN, R., VINOD KUMAR, R., and ROY, A.: Synergetic use of active and passive remotely-sensed and map data in the delineation of part of Godavari palaeocourse, 2393
NALBANT, S. S., and ALPTEKIN, Ö.: The use of Landsat Thematic Mapper imagery for analysing lithology and structure of Korucu-Duğla area in western Turkey, 2357
NARAIN, A., *see* Narayana, A.
NARASIMHA RAO, P. V., *see* Sreenivas, K.
NARASIMHA RAO, P. V., VIDYADHAR, M. S. R. R., MALLESWARA RAO, T. CH., and VENKATARATNAM, L.: An adaptive filter for speckle suppression in synthetic aperture radar images, 877
NARAYANA, A., SOLANKI, H. U., KRISHNA, B. G., and NARAIN, A.: Geometric correction and radiometric normalisation of NOAA AVHRR data for fisheries applications, 765
NARAYANAN, M. S., *see* Rao, B. M.
NARENDRA NATH, A., *see* Ratna Reddy, S.
NASR, S. M., *see* El-Raey, M.
NAVALGUND, R. R., *see* Potdar, M. B.
NIEKE, B., CONDAL, A., BERTHON, J.-F., BELLEHUMEUR, C., LEGENDRE, L., MORIN, S., THERRIAULT, J.-C., GIROUD, C., and DICK, R.: Depth resolved detection of oceanographic variables in the St. Lawrence estuary using a laser fluorosensor: instrument characteristics and first results, 1503
NILSON, T., and OLSSON, H.: Effect of thinning cutting on boreal forest reflectance: a comparison of simulations and Landsat TM estimates, 2963
NISHIO, F., *see* Schneider, W.
NORÉUS, J. P.: Improved resolution of Geosat altimetry using dense sampling and polynomial adjusted averaging, 2843
NORÉUS, J. P., and HAYLING, K. L.: Improved along track resolution of nearly repeated satellite altimeter data, 2675
NUNEZ, M., *see* Valiente, J. A.

OLIOSO, A.: Simulating the relationship between thermal emissivity and the Normalized Difference Vegetation Index, 3211
OLIVEIRA, J. B., *see* Valeriano, M. M.
OLSSON, H.: Reflectance calibration of thematic mapper data for forest change detection, 81
OLSSON, H., *see* Nilson, T.
OMATU, S., *see* Yoshida, T.
O'NEAL, M., *see* Carleton, A. M.
ONO, N., *see* Martin, S.
OTTERMAN, J., BRAKKE, T., and MARSHAK, A.: Scattering by Lambertian-leaves canopy: dependence on leaf-area projections, 1107
OTTO, C., *see* Abdalati, W.
OUMEDJBEUR, A., *see* Landru, P.
ÖZTÜRK, N., *see* Peştemalci, V.

PADMAVATHY, A. S., *see* Honne Gowda, H.
PAL, P. K., *see* Rao, B. M.
PALMER, J. R., and JACOBSON, R. E.: Comparison of the effectiveness of the principal components transform for enhancing contrast between closely similar colours with a method based on system exposure response differences, 1541
PALOSCIA, S., *see* Baronti, S.
PALUBINSKAS, G., LUCAS, R. M., FOODY, G. M., and CURRAN, P. J.: An evaluation of fuzzy and texture-based classification approaches for mapping regenerating tropical forest classes from Landsat-TM data, 747
PAMPALONI, P., *see* Baronti, S.
PANDEY, P. C., *see* Gautam, N.
PAOLA, J. D., and SCHOWENGERDT, R. A.: Review Article. A review and analysis of backpropagation neural networks for classification of remotely-sensed multi-spectral imagery, 3033
PAPAGEORGAS, P. G., *see* Kalogiros, J. A.

PAPAKYRIAKOU, T. N., *see* Barber, D. G.
PAPAYANNIS, A. D.: The EOLE Project: a multiwavelength laser remote sensing (LIDAR) system for ozone and aerosol measurements in the troposphere and the lower stratosphere. Part 1: Overview, 3595
PEARCE, G., *see* Bastin, G. N.
PEARCE, G., *see* Pickup, G.
PECKHAM, G. E.: The vertical resolution of satellite borne radiometers for atmospheric measurements, 1557
PECKHAM, G. E., *see* Woodhouse, I. H.
PEDERSEN, L. T., *see* Gudmandsen, P.
PENG, C. Y., and LIU, A. K.: Synthetic aperture radar observations of interaction of ocean swell and Semidi Islands in the Gulf of Alaska, 1249
PEÑUELAS, J., FILELLA, I., LLORET, P., MUÑOZ, F., and VILAJELIU, M.: Reflectance assessment of mite effects on apple trees, 2727
PEROVICH, D. K., *see* Beaven, S. G.
PEŞTEMALCI, V., DINÇ, U., YEĞINGIL, İ., KANDIRMAZ, M., ÇULLU, M. A., ÖZTÜRK, N., and AKSOY, E.: Acreage estimation of wheat and barley fields in the province of Adana, Turkey, 1075
PETITDIDIER, M., *see* Kotroni, V.
PHILLIPS, H. A., and LAXON, S. W.: Tracking of Antarctic tabular icebergs using passive microwave radiometry, 399
PICHEL, W., *see* Leshkevich, G.
PICKUP, G., *see* Bastin, G. N.
PICKUP, G., CHEWINGS, V. H., and PEARCE, G.: Procedures for correcting high resolution airborne video imagery, 1647
PIERDICCA, N., *see* Ciotti, P.
PINKER, R. T., and KARNIELI, A.: Characteristic spectral reflectance of a semi-arid environment, 1341
PLUMMER, S. E., *see* Danson, F. M.
POHL, C., *see* Wang, Y.
POLLARD, J. K., *see* Shin, D.
PONS, X., *see* Baulies, X.
POPP, T.: Correcting atmospheric masking to retrieve the spectral albedo of land surfaces from satellite measurements, 3483
POPULUS, J., MOREAU, F., COQUELET, D., and XAVIER, J.-P.: An assessment of environmental sensitivity to marine pollutions: solutions with remote sensing and Geographical Information Systems (GIS), 3
POTDAR, M. B., SUDHA RAVINDRANATH, RAVI, N., NAVALGUND, R. R., and DUBEY, R. C.: Spectro-meteorological modelling of sorghum yield using single date IRS LISS-I and rainfall distribution data, 467
POULTER, E. M., SMITH, M. J., and MCGREGOR, J. A.: The contribution of Bragg scattering to scatterometer signatures, 2703
PRAKASA RAO, B. S., *see* Daya Sagar, B. S.
PRAKASH, A., SARAF, A. K., GUPTA, R. P., DUTTA, M., and SUNDARAM, R. M.: Cover. Surface thermal anomalies associated with underground fires in Jharia coal mines, India, 2105
PRAKASH, A., *see* Saraf, A. K.
PRAKASH, A., SASTRY, R. G. S., GUPTA, R. P., and SARAF, A. K.: Estimating the depth of buried hot features from thermal IR remote sensing data: a conceptual approach, 2503
PRICE, J. C.: Examples of high resolution visible to near-infrared reflectance spectra and a standardized collection for remote sensing studies, 993
PROISY, C., *see* Mougin, E.

QUEGAN, S., and RHODES, I.: Statistical models for polarimetric data: consequences, testing and validity, 1183

RABIE, S. I., *see* Hussein, H. A.
RAFIQUL ISLAM, M., and EXELL, R. H. B.: Technical Note. Navigation of NOAA APT images, 2311
RAJANGAM, R. K., *see* Kalyanaraman, S.

RAMASAMY, S. M., and BALAJI, S.: Remote sensing and Pleistocene tectonics of Southern Indian peninsula, 2375
RAMSEY III, E. W.: Monitoring flooding in coastal wetlands by using radar imagery and ground-based measurements, 2495
RAO, B. M., KISHTWAL, C. M., PAL, P. K., and NARAYANAN, M. S.: Cover. A cyclone system in the Bay of Bengal, 197
RAO, B. M., KISHTWAL, C. M., PAL, P. K., and NARAYANAN, M. S.: ESR-1 surface wind observations over a cyclone system in the Bay of Bengal during November 1992, 351
RAO, B. R. M., RAVI SANKAR, T., DWIVEDI, R. S., THAMMAPPA, S. S., VENKATARATNAM, L., SHARMA, R. C., and DAS, S. N.: Spectral behaviour of salt-affected soils, 2125
RAO, K. S., RAO, Y. S., and WANG, J. R.: Frequency dependence of polarization phase difference, 3605
RAO, M. V., *see* Ratna Reddy, S.
RAO, Y. S., *see* Rao, K. S.
RATNA REDDY, S., EASTON, A. K., CLARKE, S. R., NARENDRA NATH, A., and RAO, M. V.: Gyres off the Somali coast and western boundary currents in the Bay of Bengal during the south-west monsoon, 1679
RATTAN, R., *see* Kalyanaraman, S.
RAVI, N., *see* Potdar, M. B.
RAVI SANKAR, T., *see* Rao, B. R. M.
REES, W. G., DOWDESWELL, J. A., and DIAMENT, A. D.: Analysis of ERS-1 Synthetic Aperture Radar data from Nordaustlandet, Svalbard, 905
RETALIS, A., CARTALIS, C., and VAROTSOS, C. A.: An analysis of the distribution of nitrogen dioxide in the south-eastern Mediterranean for the period 1985–1989, 1897
REY, J., *see* Siljeström, P.
RHODES, I., *see* Quegan, S.
RICHARDS, J. A., *see* Dong, Y.
RICHARDS, T. S., *see* Wooster, M. J.
RICOTTA, C., *see* Marchetti, M.
RIDD, M. K.: Exploring a V-I-S (vegetation-impervious surface-soil) model for urban ecosystem analysis through remote sensing: comparative anatomy for cities, 2165
RIITTERS, K. H., *see* Wickham, J. D.
ROBERTS, A., KIRMAN, C., and LESACK, L.: Suspended sediment concentration estimation from multi-spectral video imagery, 2439
ROBINSON, I. S., *see* Huang, W. G.
ROCK, B. N., *see* Lambert, N. J.
ROTHERY, D. A., *see* Harris, A. J. L.
ROY, A., *see* Nagarajan, R.
RUFENACH, C.: A new relationship between radar cross-section and ocean surface wind speed using ERS-1 scatterometer and buoy measurements, 3629
RYUTARO TATEISHI, *see* Kithsir Perera, L.

SAHA, S. K.: Assessment of regional soil moisture conditions by coupling satellite sensor data with a soil-plant system heat and moisture balance model, 973
SAKELLARIOU, N., ASIMAKOPOULOS, D., EUTAXIAS, G., KALAMATIANOU, A., VAROTSOS, C. A., and KATSIKIS, S.: Measurements of the spectral components of direct normal solar radiation over Athens, 1815
SAKELLARIOU, N. K., *see* Varotsos, C. A.
SAKELLARIOU, N. K., VAROTSOS, C. A., and LYKOUDIS, S. P.: On the intercomparison of satellite and ground-based observations of prevailing cloud types over Athens, 1799
SALEM, B. B., EL-CIBAHY, A., and EL-RAEY, M.: Detection of land cover classes in agro-ecosystems of northern Egypt by remote sensing, 2581
SARAF, A. K., PRAKASH, A., SENGUPTA, S., and GUPTA, R. P.: Landsat-TM data for estimating ground temperature and depth of subsurface coal fire in the Jharia coalfield, India, 2111
SARAF, A. K., *see* Das, J. D.
SARAF, A. K., *see* Prakash, A.
SASTRY, R. G. S., *see* Prakash, A.
SCHAALE, M., and FURRER, R.: Land surface classification by neural networks, 3003

SCHIAVON, G., *see* Baronti, S.
SCHNEIDER, W., NISHIO, F., YAMANOUCHI, T., WATANABE, O., and MASUKO, H.: SST estimation within Syowa's station mask using MOS-1's visible and thermal infrared radiometers, 613
SCHOTTEN, C. G. J., VAN ROOY, W. W. L., and JANSSEN, L. L. F.: Assessment of the capabilities of multi-temporal ERS-1 SAR data to discriminate between agricultural crops, 2619
SCHOWENGERDT, R. A., *see* Paola, J. D.
SCHULER, D. L., and LEE, J. S.: A microwave technique to improve the measurement of directional ocean wave spectra, 199
SCHULTZ, P. A., and HALPERT, M. S.: Global analysis of the relationships among a vegetation index, precipitation and land surface temperature, 2755
SENGUPTA, S., *see* Saraf, A. K.
SERIO, C., *see* Amato, U.
SHARMA, R. C., *see* Rao, B. R. M.
SHEMER, L.: On the focusing of the ocean swell images produced by a regular and by an interferometric SAR, 925
SHIN, D., and POLLARD, J. K.: Fine co-location of pre-corrected ATSR images, 1969
SHOKR, M. E., *see* Barber, D. G.
SHOSHANY, M., LAVEE, H., and KUTIEL, P.: Seasonal vegetation cover changes as indicators of soil types along a climatological gradient: a mutual study of environmental patterns and controls using remote sensing, 2137
SILJESTRÖM, P., MORENO, A., and REY, J.: Technical Note. Seafloor characterization through side scan sonar image processing, 625
SILJESTRÖM RIBED, P., and MORENO LÓPEZ, A.: Monitoring burnt areas by principal components analysis of multi-temporal TM data, 1577
SINGH, A., *see* Vanderzee, D.
SINGH, R. P., *see* Venkateswarlu, N. B.
SKRIVER, H., *see* Gudmandsen, P.
SMARA, Y., *see* Belhadj-Aissa, A.
SMITH, M. J., *see* Poulter, E. M.
SOBIESKI, P. W., and BLIVEN, L. F.: Scatterometry of a drop impact on a salt water surface, 2721
SOBIESKI, P. W., *see* Bliven, L. F.
SOILEMES, A. T., *see* Kalogiros, J. A.
SOLANKI, H. U., *see* Narayana, A.
SOLBERG, R., *see* Leek, R.
SØLVSTEEN, C.: A correlation based cloud-detection algorithm combined with an examination of some split-window assumptions, 2875
SONG, J. A., *see* McNider, R. T.
SOUMA, T., *see* Yokoyama, R.
SPIES, T. A., *see* Cohen, W. B.
SREENIVAS, K., VENKATARATNAM, L., and NARASIMHA RAO, P. V.: Dielectric properties of salt-affected soils, 641
SRINIVAS, G., *see* Krishnamurthy, J.
STEFFEN, K., *see* Abdalati, W.
STEHMAN, S. V.: Thematic map accuracy assessment from the perspective of finite population sampling, 589
STEPHENS, G.: Cover. Forest Fires, Siberia, 2969
STEPHENS, G.: Cover. Mt. Pinatubo Ash Plume, 407
STEPHENS, G.: Cover. Mt. Spurr Ash Plume, 2513
STEPHENS, G.: Cover. Saharan dust outbreak, 2299
STEPHENS, P. R., *see* Brown, L. J.
ST-ONGE, B. A., and CAVAYAS, F.: Estimating forest stand structure from high resolution imagery using the directional variogram, 1999
SUBRAMANIAN, S. P., *see* Kalyani Devasena, C.
SUDHA RAVINDRANATH, *see* Potdar, M. B.
SUGIMURA, T., *see* Tanaka, S.
SUJIT BASU, *see* Gautam, N.

SULLIVAN, J. T.: A simple, accurate method to compute brightness temperature and/or radiance for the thermal infrared channels of the Advanced Very High Resolution Radiometer (AVHRR), 773
SUNDARAM, R. M., *see* Prakash, A.
SWABEY, S. E. J., *see* Harris, A. J. L.
SWANSON, F. J., *see* Cohen, W. B.
SWIFT, R. N., *see* Krabill, W. B.

TACONET, O., *see* Bénallègue, M.
TACONET, O., *see* Eymard, L.
TANAKA, S., and SUGIMURA, T.: Cover. Bird's eye view of Mount Sakurajima from JERS-1/OPS, 1179
TANBA, S., *see* Yokoyama, R.
TASSAN, T.: SeaWiFS potential for remote sensing of marine *Trichodesmium* at sub-bloom concentration, 3619
TATNALL, A. R. L., *see* Côté, S.
TERAYAMA, Y., *see* Arai, K.
TERRELL, T. J., *see* Hong, G.
THAMMAPPA, S. S., *see* Rao, B. R. M.
THERRIAULT, J.-C., *see* Nieke, B.
THIEL, K.-H., *see* Cheng, F.
THOMAS, J. P., TURNER, J., LACHLAN-COPE, T. A., and CORCORAN, G.: High resolution observations of Weddell Sea surface currents using ERS-1 SAR sea-ice motion vectors, 3409
THOMAS, R. H., *see* Krabill, W. B.
THOMPSON, T., *see* Hakansson, B.
THOMSEN, B. B., *see* Gudmandsen, P.
THOMSON, A. G.: Airborne radiometry and a sheep grazing experiment on dune grassland, 981
TJUATJA, S., *see* Beaven, S. G.
TORRICELLA, F., *see* Cervino, M.
TOUTIN, TH.: Intégration de données multisources: comparaison de méthodes géométriques et radiométriques, 2795
TOWNSHEND, J. R. G., and JUSTICE, C. O.: Spatial variability of images and the monitoring of changes in the Normalized Difference Vegetation Index, 2187
TSALIDES, PH., *see* Andreadis, I.
TSENG, W. Y.: Cover. Oil spill detection from NOAA-AVHRR imagery, 3481
TSOAR, H., *see* Karnieli, A.
TURNER, J., *see* Thomas, J. P.
TZENG, Y. C., *see* Chen, K. S.

UEDA, Y., *see* Arai, K.
ULANDER, L. M. H., *see* Carlström, A.
ULANDER, L. M. H., CARLSTRÖM, A., and ASKNE, J.: Effect of frost flowers, rough saline snow and slush on the ERS-1 SAR backscatter of thin Arctic sea-ice, 3287

VÅLAND, P. A., *see* Eldhuset, K.
VALERIANO, M. M., EPIPHANIO, J. C. N., FORMAGGIO, A. R., and OLIVEIRA, J. B.: Bi-directional reflectance factor of 14 soil classes from Brazil, 113
VALIENTE, J. A., NUNEZ, M., LOPEZ-BAEZA, E., and MORENO, J. F.: Narrow-band to broad-band conversion for Meteosat-visible channel and broad-band albedo using both AVHRR-1 and -2 channels, 1147
VAN DER MEER, F., VAN DIJK, P. M., and WESTERHOF, A. B.: Digital classification of the contact metamorphic aureole along the Los Pedroches batholith, south-central Spain, using Landsat Thematic Mapper data, 1043
VAN DER MEER, F.: Spectral unmixing of Landsat Thematic Mapper data, 3189
VAN DER VOET, H., *see* Van Kootwijk, E. J.
VANDERZEE, D., and EHRLICH, D.: Sensitivity of ISODATA to changes in sampling procedures and processing parameters when applied to AVHRR time-series NDVI data, 673

VANDERZEE, D., and SINGH, A.: Survey of geographical information system and image processing software, 383
VAN DIJK, P. M., *see* van der Meer, F.
VAN KOOTWIJK, E. J., VAN DER VOET, H., and BERDOWSKI, J. J. M.: Estimation of ground cover composition per pixel after matching image and ground data with subpixel accuracy, 97
VAN ROOY, W. W. L., *see* Schotten, C. G. J.
VARMA, A. K., *see* Bhandari, S. M.
VAROTSOS, C. A.: On the correction of the total ozone content over Athens, Greece as deduced from satellite observations, 1771
VAROTSOS, C. A.: Editorial, 1745
VAROTSOS, C. A., *see* Chandra, S.
VAROTSOS, C. A., CHRONOPOULOS, G. J., KATSIKIS, S., and SAKELLARIOU, N. K.: Further evidence of the role of air pollution on solar ultraviolet radiation reaching the ground, 1883
VAROTSOS, C. A., *see* Cracknell, A. P.
VAROTSOS, C. A., CRACKNELL, A. P., SAKELLARIOU, N. K., KATSIKIS, S., CHRONOPOULOS, G., and KASSOMENOS, P.: On the SO_2 and NO_2 interferences in total ozone measurements made with the Dobson spectrophotometer No. 118 in Athens, 1805
VAROTSOS, C. A., CRACKNELL, A. P., SAKELLARIOU, N. K., and LYKOUDIS, S. P.: On the statistical analysis of the ozone depletion over Greece, 1829
VAROTSOS, C. A., *see* Gernandt, H.
VAROTSOS, C. A., and KONDRATYEV, K. YA.: Ozone dynamics over Greece as derived from satellite and *in situ* measurements, 1777
VAROTSOS, C. A., *see* Kondratyev, K. Ya.
VAROTSOS, C. A., *see* Retalis, A.
VAROTSOS, C. A., *see* Sakellariou, N.
VAROTSOS, C. A., *see* Sakellariou, N. K.
VAUGHAN, R. A., *see* Harris, A. J. L.
VENKATARATNAM, L., *see* Narasimha Rao, P. V.
VENKATARATNAM, L., *see* Rao, B. R. M.
VENKATARATNAM, L., *see* Sreenivas, K.
VENKATESWARLU, N. B., and SINGH, R. P.: A fast maximum likelihood classifier, 313
VENKATESWARLU, N. B., and SINGH, R. P.: Various approaches to speed up Mahalanobis distance classifier, 3157
VENU, M., *see* Daya Sagar, B. S.
VERBYLA, D. L., and HAMMOND, T. O.: Conservative bias in classification accuracy assessment due to pixel-by-pixel comparison of classified images with reference grids, 581
VERMOTE, E., and KAUFMAN, Y. J.: Absolute calibration of AVHRR visible and near-infrared channels using ocean and cloud views, 2317
VIDAL-MADJAR, D., *see* Bénallègue, M.
VIDYADHAR, M. S. R. R., *see* Narasimha Rao, P. V.
VIEHOFF, T., and LI, A.: Iceberg observations and estimation of submarine ridges in the western Weddell Sea, 3391
VILAJELIU, M., *see* Peñuelas, J.
VIÑAS, O., and BAULIES, X.: 1:250000 Land-use map of Catalonia (32000 km^2) using multi-temporal Landsat-TM data, 129
VINOD KUMAR, R., *see* Nagarajan, R.
VITORELLO, Í., *see* Galvão, L. S.
VOGELMANN, J. E., *see* Lambert, N. J.
VOLPE, F., *see* Marchetti, M.

WAKATSUCHI, M., *see* Martin, S.
WALLIN, D. O., *see* Cohen, W. B.
WANG, D., HE, D.-C., and BÉNIÉ, G. B.: A line-preserving post-processing technique for maximum likelihood classification of SAR images, 2081
WANG, J. R., *see* Rao, K. S.
WANG, Y., DAVIS, F. W., MELACK, J. M., KASISCHKE, E. S., and CHRISTENSEN, JR., N. L.: The effects of changes in forest biomass on radar backscatter from tree canopies, 503
WANG, Y., KOOPMANS, B. N., and POHL, C.: Cover. The 1995 flood in The Netherlands monitored from space—a multi-sensor approach, 2735

WATANABE, O., *see* Schneider, W.
WATTS, P. D., ZAVODY, A. M., MUTLOW, C. T., BARTON, I. J., MINNETT, P. J., and LLEWELLYN-JONES, D. T.: Comment on 'Effect of surface wind speed and sensor view zenith angle dependence of emissivity on SST retrieval from thermal infrared data: ATSR', 2099
WEEKS, W. F., *see* Li, S.
WESTERHOF, A. B., *see* van der Meer, F.
WETZEL, M. A.: Technical Note. Simulation of radiances for future AVHRR platforms with the AVIRIS spectral radiometer, 1167
WICKHAM, J. D., and RIITTERS, K. H.: Sensitivity of landscape metrics to pixel size, 3585
WOODHOUSE, I. H., and PECKHAM, G. E.: On the relationship between the Chahine–Twomey and Maximum Entropy methods, 1727
WOOSTER, M. J., RICHARDS, T. S., and KIDWELL, K.: NOAA-11 AVHRR/2—Thermal channel calibration update, 359
WRIGHT, G. G., *see* Leone, A. P.
WRIGHT, G. G., *see* McStay, D.
WU, J., and LIN, S.-G.: Height accuracy of one and a half centimetres by GPS rapid static surveying, 2863

XAVIER, J.-P., *see* Populus, J.
XUE, Y., and CRACKNELL, A. P.: Advanced thermal intertia modelling, 431
XUE, Y., and CRACKNELL, A. P.: Operational bi-angle approach to retrieve the Earth surface albedo from AVHRR data in the visible band, 417

YACOBI, Y. Z., *see* Mayo, M.
YAMANOUCHI, T., *see* Schneider, W.
YATES, W. B., *see* Foody, G. M.
YEĞINGIL, İ., *see* Peştemalci, V.
YOKOYAMA, R., TANBA, S., and SOUMA, T.: Sea surface effects on the sea surface temperature estimation by remote sensing, 227
YOSHIDA, T., and OMATU, S.: Distortion correction of NOAA image by statistical method, 321

ZAGOLSKI, F., and GASTELLU-ETCHEGORRY, J. P.: Atmospheric corrections of AVIRIS images with a procedure based on the inversion of the 5S model, 3115
ZAGOLSKI, F., *see* Gastellu-Etchegorry, J. P.
ZAVODY, A. M., *see* Watts, P. D.